RISK ASSESSMENT

LOCATION:	Various Locations	Various Locations				
OPERATION/PROCESS:	Risk Assessment	Risk Assessment For Geoff Evans - "Lord Geoffrey The Balloon Guy"				
HAZARDS IDENTIFIED:	 Possible Possible 	 Possible risk of a child eating a piece of balloon Possible risk of slipping on pieces of balloon 				
SECONDARY HAZARDS:	Latex Allergies	Latex Allergies				
EXPOSED PERSONS:	Balloon Man, user	Balloon Man, users and passers-by				
FREQUENCY OF EXPOSURE:	Daily		DURATION OF EXPOSURE: As per the event hours			
RISK = LIKELIHOOD X SEVERITY						
· · · · · · · · · · · · · · · · · · ·	ry likely nost certain	SEVERITY 0 = No injury or illness 1 = First aid injury or illness 2 = Minor injury or illness 5 = Fatality, disablement injury, etc				
Activity Risk Rating: Likelihood 3 X Severity 2 = Total 5						
Activity Risk Value: LOV			MEDIU	•	HIGH	
CONTROL MEASURES Steps to be taken to avoid an accident or incident leading to an injury: The audience is warned of the possibility of such incidents. If a balloon bursts it makes a sound no greater than 98db. This will not injure anyone's hearing even if they are in close proximity. The balloons are not poisonous and any broken pieces are disposed of properly and carefully. Balloons are made of latex which is totally biodegradable. If pieces of balloon are accidentally swallowed by animal or human, they will dissolve in the stomach and pass through naturally. All balloon pieces are disposed of carefully. Modelling balloons are best quality standard. Sufferers of latex allergy know their condition and avoid balloons						
Residual Risk Rating: Likelihood 2 X Severity 2 = Total 4						
MONITORING RESULTS: Lord Geoffrey the Balloon Guy will ensure the above is adhered to at all times						
REVIEW DATE: At regular intervals, not to exceed 12 months or when circumstances change.						
RESIDUAL RISK RATING: LOW						
ASSESSOR:	Geoff Evans		POSITION:	Balloon G	ut	